

# BenchBlotter™

## Benchmark Platform Rocker



- Optimized for blot washing and gel staining/destaining
- Gentle mixing (12 rpm and +/- 8° tilt)
- Compact, low profile design
- Dual platform option expands workspace
- Safe for incubator/cold room use

### Technical Data

Speed:	Fixed at 12 rpm Fixed at 10 rpm (230V)
Tilt Angle:	+/- 8°
Platform Size:	30x30 cm / 12x12 in.
Work Surface:	Non-Skid Rubber Mat
Load Capacity:	3.2 kg / 7 lbs.
Operating Temp. Range:	+4° C to +65° C
Dimensions:	34 x 30 x 12 cm 13.5 x 11.8 x 4.7 in.
Weight:	3 kg / 6.5 lb
Warranty:	2 Years
Electrical:	115V AC, 60 Hz, 0.4A 230V AC, 50 Hz, 0.2A

The BenchBlotter is the first rocker to be specifically optimized with the ideal rocking speed and tilt angle for blot washing, gel staining/destaining and hybridization applications. Available with an optional dual platform accessory, the BenchBlotter offers a sizeable work space, while maintaining a compact footprint and low profile design.

Lightweight and easy to carry, it can be easily transported from the lab bench to a cold room or incubator.

The large load capacity (7 lbs.), optional dimpled mat for centrifuge tubes and multiple platform tie-down points, make this rocker suitable for a wide variety of general purpose applications.

### Ordering Information

<b>BR1000*</b>	<b>BenchBlotter Platform Rocker</b>
BR1000-FLAT	Non-Skid rubber mat (included)
BR1000-DIMPLED	Optional dimpled mat
BR1000-STACK	Optional stacking platform, with flat mat

\*To order a product in 230V, please add -230 to item number.

# Benchmark

Scientific

**Benchmark Scientific Inc.**  
PO Box 709  
Edison, NJ 08817  
Phone: 908-769-5555  
Fax: 908-222-1864  
Web: [www.BenchmarkScientific.com](http://www.BenchmarkScientific.com)  
Email: [Info@BenchmarkScientific.com](mailto:Info@BenchmarkScientific.com)